


PRODUCT DESCRIPTION

99 11 250 and 99 11 300 High Leverage Concreters' Nipper

BENEFITS

- 25 % less effort required compared to conventional concreters' nippers of the same size
- Extra-slim form for tying deep mounted steel rods
- To lace concrete reinforcing steel with binding wire from a roll
- Wire is twisted and cut in a single pass
- High-leverage joint, minimising strain, even when thick binding wires are used
- The high damping of the cutting stroke on cutting through the binding wire reduces the strain on tendons and muscles
- Cutting edges additionally hardened; cutting edge hardness approx. 61 HRC
- High-grade special tool steel, forged, multi stage oil-hardened

AREAS OF APPLICATION



TECHNICAL DATA 99 11 250 High Leverage Concreters' Nipper

No.	99 11 250
EAN	4003773071402
Pilers	Black Atramentized
Head	Polished
Cutting capacities medium hard wire (diameter)	3.3 Ø mm
Cutting capacities hard wire (diameter)	1.8 Ø mm
Head width	250mm
Cutting edge length mm	23mm
Net Weight	350g
Length	250mm

TECHNICAL DATA 99 11 300 High Leverage Concreters' Nipper

No.	99 11 300
EAN	4003773042365
Pilers	Black Atramentized
Handles	Plastic coated
Cutting capacities hard wire (diameter)	2.0 Ø mm
Cutting capacities medium hard wire (diameter)	3.8 Ø mm
Head width	25.0mm
Cutting edge length mm	25mm
Net Weight	537g
Length	300mm